

INFORME MENSUAL SOBRE LAS ESPECIFICACIONES DEL GAS NATURAL

(Valores promedio diarios)

PERMISIONARIO:	Compañía Nacional de Gas SA de CV - Permiso G/11/DIS/1997
PUNTO DE MEDICIÓN:	Cruce Internacional I - Estacion Importacion Rio Bravo
ZONA DE MEDICIÓN:	RESTO DEL PAÍS

FECHA: (dd/mm/aa)	Metano (% vol)	Bióxido de Carbono (% vol)	Nitrógeno (% vol)	Total Inertes (% vol)	Etano (% vol)	Temperatura de Rocio (K)	Humedad (mg/m³)	Poder Calorifico (MJ/m³)	Índice Wobbe (MJ/m³)	Acido Sulfhidrico (mg/m³)
01/03/15	89.4317	0.3571	0.1604	0.5175	7.2862		164.6697	41.6908	52.9652	7.5813
02/03/15	89.0339	0.3770	0.1609	0.5379	7.4583		200.3909	41.8801	53.0548	3.9055
03/03/15	88.7555	0.3616	0.1609	0.5225	7.5741		224.0982	42.0341	53.1493	8.9597
04/03/15	88.1556	0.3542	0.1522	0.5064	7.8584		207.7593	42.3326	53.3207	1.8379
05/03/15	88.3170	0.3472	0.1419	0.4891	7.7248		238.6750	42.2880	53.3056	30.7846
06/03/15	88.0397	0.3943	0.1381	0.5324	7.9006		212.5649	42.3688	53.3197	8.5002
07/03/15	87.6893	0.3547	0.1369	0.4916	8.1313		218.9723	42.5558	53.4486	6.8921
08/03/15	87.3978	0.3793	0.1351	0.5145	8.2721		209.5214	42.6684	53.4940	7.3516
09/03/15	88.1622	0.3430	0.1306	0.4736	7.7261		197.1872	42.4545	53.4032	0.0000
10/03/15	88.0749	0.3896	0.1348	0.5245	7.7082		197.5075	42.4807	53.3840	10.5679
11/03/15	88.9827	0.3574	0.1496	0.5071	7.3341		209.8417	41.9956	53.1355	7.5813
12/03/15	90.0597	0.2807	0.1459	0.4265	6.9008		292.8173	41.4760	52.9063	17.2302
13/03/15	89.3966	0.2558	0.1286	0.3843	7.3370		241.8786	41.8109	53.1142	0.0000
14/03/15	89.2143	0.2879	0.1345	0.4225	7.4091		155.0586	41.9058	53.1411	8.5002
15/03/15	89.4417	0.2738	0.1351	0.4089	7.2787		269.1100	41.8068	53.0964	10.3381
16/03/15	89.7934	0.3322	0.1303	0.4625	6.9473		239.1555	41.6309	52.9624	4.3650
17/03/15	89.6283	0.2886	0.1827	0.4713	7.1126		251.4897	41.6738	52.9923	6.6623
18/03/15	90.0844	0.3375	0.1294	0.4669	6.9590		253.0916	41.3943	52.8302	2.2974
19/03/15	89.7060	0.2948	0.1310	0.4258	7.2575		260.2999	41.5808	52.9611	3.9055
20/03/15	89.4025	0.3697	0.1215	0.4912	7.2984		264.4647	41.7016	52.9801	9.4192
21/03/15	88.5142	0.3625	0.1335	0.4960	7.6774		276.7989	42.1883	53.2447	4.1352
22/03/15	88.9992	0.3520	0.1376	0.4896	7.3798		279.5220	41.9678	53.1298	0.6892
23/03/15	89.1155	0.3099	0.1281	0.4380	7.4237		252.4508	41.9107	53.1317	10.1084
24/03/15	89.3504	0.3310	0.1255	0.4565	7.3223		271.6730	41.7495	53.0308	4.8245
25/03/15	88.8017	0.3171	0.1435	0.4606	7.4678		281.6044	42.1126	53.2295	7.5813
26/03/15	88.6557	0.3304	0.1418	0.4721	7.4761		309.1561	42.2225	53.2807	0.0000
27/03/15	89.0673	0.2865	0.1472	0.4337	7.3569		263.3434	42.0273	53.2020	5.9731
28/03/15	89.1783	0.3031	0.1484	0.4515	7.2575		295.3803	41.9492	53.1477	0.0000
29/03/15	89.7974	0.2720	0.1504	0.4224	7.0060		252.9314	41.6503	53.0050	3.2163
30/03/15	89.1014	0.3017	0.1389	0.4406	7.3923		249.5675	41.9504	53.1539	4.5947
31/03/15	89.1496	0.3060	0.1387	0.4447	7.3787		252.4508	41.9260	53.1378	3.4460

*/ Los valores trimestrales se deberán reportar en los meses de enero, abril, julio y octubre de cada año, respecto del trimestre inmediato anterior.

Mínimo	87.3978	0.2558	0.1215	0.3843	6.9008		155.0586	41.3943	52.8302	0.0000
Promedio	88.9838	0.3293	0.1411	0.4704	7.4391		241.7236	41.9802	53.1503	6.4919
Máximo	90.0844	0.3943	0.1827	0.5379	8.2721		309.1561	42.6684	53.4940	30.7846
Desv. Est.	0.678248525	0.038038751	0.012872932	0.039780116	0.32245356		37.37256501	0.324323333	0.164688307	5.968706857

Azufre total* (mg/m³)	Oxígeno* (% vol)

INFORME MENSUAL SOBRE LAS ESPECIFICACIONES DEL GAS NATURAL
(Valores promedio diarios)

PERMISIONARIO: Compañía Nacional de Gas SA de CV - Permiso G/11/DIS/1997
PUNTO DE MEDICIÓN: Cruce Internacional II - Estacion Importacion Rio Bravo
ZONA DE MEDICIÓN: RESTO DEL PAÍS

FECHA: (dd/mm/aa)	Metano (% vol)	Bióxido de Carbono (% vol)	Nitrógeno (% vol)	Total Inertes (% vol)	Etano (% vol)	Temperatura de Rocio (K)	Humedad (mg/m ³)	Poder Calorífico (MJ/m ³)	Índice Wobbe (MJ/m ³)	Acido Sulfhídrico (mg/m ³)
01/03/15	87.6980	0.5100	0.3110	0.8210	8.4110			41.7629		
02/03/15										
03/03/15										
04/03/15										
05/03/15										
06/03/15										
07/03/15										
08/03/15										
09/03/15										
10/03/15										
11/03/15										
12/03/15										
13/03/15										
14/03/15										
15/03/15										
16/03/15										
17/03/15										
18/03/15										
19/03/15										
20/03/15										
21/03/15										
22/03/15										
23/03/15										
24/03/15										
25/03/15										
26/03/15										
27/03/15										
28/03/15										
29/03/15										
30/03/15										
31/03/15										

*/ Los valores trimestrales se deberán reportar en los meses de enero, abril, julio y octubre de cada año, respecto del trimestre inmediato anterior.

Azufre total* (mg/m ³)	Oxígeno* (% vol)

Mínimo	87.6980	0.5100	0.3110	0.8210	8.4110	0.0000	0.0000	41.7629	0.0000	0.0000
Promedio	87.6980	0.5100	0.3110	0.8210	8.4110	#iDIV/0!	#iDIV/0!	41.7629	#iDIV/0!	#iDIV/0!
Máximo	87.6980	0.5100	0.3110	0.8210	8.4110	0.0000	0.0000	41.7629	0.0000	0.0000
Desv. Est.	87.6980	0.5100	0.3110	0.8210	8.4110	0.0000	0.0000	41.7629	0.0000	0.0000

INFORME MENSUAL SOBRE LAS ESPECIFICACIONES DEL GAS NATURAL

(Registros máximos diarios)

PERMISIONARIO:	Compañía Nacional de Gas SA de CV - Permiso G/11/DIS/1997
PUNTO DE MEDICIÓN:	Cruce Internacional I - Estacion Importacion Rio Bravo
ZONA DE MEDICIÓN:	RESTO DEL PAÍS

FECHA: (dd/mm/aa)	Metano (% vol)	Bióxido de Carbono (% vol)	Nitrógeno (% vol)	Total Inertes (% vol)	Etano (% vol)	Temperatura de Rocio (K)	Humedad (mg/m ³)	Poder Calorífico (MJ/m ³)	Índice Wobbe (MJ/m ³)	Acido Sulfhídrico (mg/m ³)
01/03/15	89.5343	0.3644	0.1630	0.5274	7.3326	0.0000	164.6697	41.7364	52.9908	7.5813
02/03/15	89.2346	0.3953	0.1644	0.5524	7.5173	0.0000	200.3909	41.9673	53.1039	3.9055
03/03/15	89.0420	0.3810	0.1648	0.5353	7.6627	0.0000	224.0982	42.1259	53.1922	8.9597
04/03/15	88.3329	0.3628	0.1536	0.5164	7.9563	0.0000	207.7593	42.5193	53.4274	1.8379
05/03/15	88.4670	0.3617	0.1452	0.4982	7.7757	0.0000	238.6750	42.3342	53.3318	30.7846
06/03/15	88.2581	0.4495	0.1401	0.5871	7.9935	0.0000	212.5649	42.4498	53.3655	8.5002
07/03/15	87.8042	0.3608	0.1467	0.5075	8.2805	0.0000	218.9723	42.6145	53.4723	6.8921
08/03/15	87.8063	0.3949	0.1381	0.5330	8.4796	0.0000	209.5214	42.8105	53.5596	7.3516
09/03/15	88.1965	0.3540	0.1343	0.4883	7.7546	0.0000	197.1872	42.4790	53.4188	0.0000
10/03/15	88.1495	0.4011	0.1377	0.5336	7.7480	0.0000	197.5075	42.5153	53.4050	10.5679
11/03/15	89.7409	0.4017	0.1598	0.5379	7.5594	0.0000	209.8417	42.3348	53.2960	7.5813
12/03/15	90.1396	0.2875	0.1617	0.4492	6.9558	0.0000	292.8173	41.5081	52.9202	17.2302
13/03/15	89.4983	0.2610	0.1318	0.3919	7.3820	0.0000	241.8786	41.8515	53.1469	0.0000
14/03/15	90.1338	0.3621	0.1480	0.5101	7.6451	0.0000	155.0586	42.3184	53.3087	8.5002
15/03/15	89.8583	0.2807	0.1412	0.4137	7.4030	0.0000	269.1100	41.9320	53.1608	10.3381
16/03/15	89.9275	0.4344	0.1409	0.5753	7.0374	0.0000	239.1555	41.7147	52.9857	4.3650
17/03/15	89.7602	0.3509	0.2314	0.5032	7.1841	0.0000	251.4897	41.7512	53.0282	6.6623
18/03/15	90.2726	0.3687	0.1345	0.4931	7.1557	0.0000	253.0916	41.5472	52.9519	2.2974
19/03/15	89.8846	0.3076	0.1327	0.4377	7.3007	0.0000	260.2999	41.6546	52.9930	3.9055
20/03/15	89.8671	0.4146	0.1250	0.5351	7.5900	0.0000	264.4647	42.0194	53.1235	9.4192
21/03/15	88.7188	0.3791	0.1380	0.5032	7.7586	0.0000	276.7989	42.2614	53.2927	4.1352
22/03/15	89.2944	0.3606	0.1448	0.4988	7.6344	0.0000	279.5220	42.1834	53.2553	0.6892
23/03/15	89.6767	0.3235	0.1285	0.4512	7.5535	0.0000	252.4508	42.1199	53.2364	10.1084
24/03/15	90.0849	0.3519	0.1317	0.4746	7.5677	0.0000	271.6730	42.1329	53.2290	4.8245
25/03/15	88.9006	0.3233	0.1459	0.4685	7.5215	0.0000	281.6044	42.1408	53.2426	7.5813
26/03/15	88.9054	0.3513	0.1484	0.4882	7.5561	0.0000	309.1561	42.2880	53.3130	0.0000
27/03/15	89.1858	0.2958	0.1513	0.4434	7.4204	0.0000	263.3434	42.1018	53.2358	5.9731
28/03/15	89.4006	0.3216	0.1503	0.4702	7.3242	0.0000	295.3803	42.0755	53.2048	0.0000
29/03/15	90.3753	0.3022	0.1522	0.4544	7.2934	0.0000	252.9314	42.0298	53.1903	3.2163
30/03/15	89.6211	0.3178	0.1430	0.4547	7.5802	0.0000	249.5675	42.1471	53.2562	4.5947
31/03/15	89.6005	0.3138	0.1402	0.4528	7.5150	0.0000	252.4508	42.0777	53.2159	3.4460
Máximo	90.3753	0.4495	0.2314	0.5871	8.4796	0.0000	309.1561	42.8105	53.5596	30.7846

INFORME MENSUAL SOBRE LAS ESPECIFICACIONES DEL GAS NATURAL

(Registros máximos diarios)

PERMISIONARIO: Compañía Nacional de Gas SA de CV - Permiso G/11/DIS/1997
 PUNTO DE MEDICIÓN: Cruce Internacional II - Estacion Importacion Rio Bravo
 ZONA DE MEDICIÓN: RESTO DEL PAÍS

FECHA: (dd/mm/aa)	Metano (% vol)	Bióxido de Carbono (% vol)	Nitrógeno (% vol)	Total Inertes (% vol)	Etano (% vol)	Temperatura de Rocio (K)	Humedad (mg/m ³)	Poder Calorífico (MJ/m ³)	Índice Wobbe (MJ/m ³)	Acido Sulfhídrico (mg/m ³)
01/03/15	87.6980	0.5100	0.3110	0.8210	8.4110			41.7629		
02/03/15										
03/03/15										
04/03/15										
05/03/15										
06/03/15										
07/03/15										
08/03/15										
09/03/15										
10/03/15										
11/03/15										
12/03/15										
13/03/15										
14/03/15										
15/03/15										
16/03/15										
17/03/15										
18/03/15										
19/03/15										
20/03/15										
21/03/15										
22/03/15										
23/03/15										
24/03/15										
25/03/15										
26/03/15										
27/03/15										
28/03/15										
29/03/15										
30/03/15										
31/03/15										
Máximo	87.6980	0.5100	0.3110	0.8210	8.4110	0.0000	0.0000	41.7629	0.0000	0.0000

INFORME MENSUAL SOBRE LAS ESPECIFICACIONES DEL GAS NATURAL
(Registros mínimos diarios)

PERMISIONARIO: Compañía Nacional de Gas SA de CV - Permiso G/11/DIS/1997
PUNTO DE MEDICIÓN: Cruce Internacional I - Estacion Importacion Rio Bravo
ZONA DE MEDICIÓN: RESTO DEL PAÍS

FECHA: (dd/mm/aa)	Metano (% vol)	Bióxido de Carbono (% vol)	Nitrógeno (% vol)	Total Inertes (% vol)	Etano (% vol)	Temperatura de Rocio (K)	Humedad (mg/m ³)	Poder Calorífico (MJ/m ³)	Índice Wobbe (MJ/m ³)	Acido Sulfhídrico (mg/m ³)
01/03/15	89.3332	0.3439	0.1544	0.5061	7.2467	0.0000	164.6697	41.6248	52.9231	7.5813
02/03/15	88.8825	0.3550	0.1571	0.5171	7.3689	0.0000	200.3909	41.8000	53.0254	3.9055
03/03/15	88.5558	0.3388	0.1543	0.5036	7.4578	0.0000	224.0982	41.8948	53.0871	8.9597
04/03/15	87.8949	0.3462	0.1513	0.4975	7.7889	0.0000	207.7593	42.2251	53.2559	1.8379
05/03/15	88.2060	0.3343	0.1365	0.4795	7.6505	0.0000	238.6750	42.2243	53.2759	30.7846
06/03/15	87.8771	0.3393	0.1369	0.4770	7.7496	0.0000	212.5649	42.2699	53.2668	8.5002
07/03/15	87.4757	0.3504	0.1322	0.4826	8.0669	0.0000	218.9723	42.5055	53.4209	6.8921
08/03/15	87.0222	0.3658	0.1308	0.4998	7.9659	0.0000	209.5214	42.5452	53.4318	7.3516
09/03/15	88.1453	0.3331	0.1271	0.4602	7.6811	0.0000	197.1872	42.4102	53.3703	0.0000
10/03/15	88.0072	0.3762	0.1325	0.5097	7.6585	0.0000	197.5075	42.4397	53.3565	10.5679
11/03/15	88.3388	0.3104	0.1362	0.4702	7.0401	0.0000	209.8417	41.6091	52.9524	7.5813
12/03/15	89.9531	0.2774	0.1358	0.4132	6.8530	0.0000	292.8173	41.4453	52.8927	17.2302
13/03/15	89.3387	0.2453	0.1209	0.3662	7.2750	0.0000	241.8786	41.7529	53.0783	0.0000
14/03/15	88.4015	0.1964	0.1140	0.3104	7.1607	0.0000	155.0586	41.4460	52.9629	8.5002
15/03/15	89.2047	0.2669	0.1311	0.4044	7.0476	0.0000	269.1100	41.5944	52.9826	10.3381
16/03/15	89.6097	0.2836	0.1206	0.4197	6.7978	0.0000	239.1555	41.5852	52.9331	4.3650
17/03/15	89.4762	0.2569	0.1441	0.4010	6.9877	0.0000	251.4897	41.5988	52.9476	6.6623
18/03/15	89.8398	0.2804	0.1244	0.4126	6.8591	0.0000	253.0916	41.2868	52.7681	2.2974
19/03/15	89.5610	0.2799	0.1301	0.4108	7.2118	0.0000	260.2999	41.4856	52.9195	3.9055
20/03/15	88.7169	0.3148	0.1164	0.4398	7.1273	0.0000	264.4647	41.5068	52.9096	9.4192
21/03/15	88.3751	0.3474	0.1225	0.4854	7.6109	0.0000	276.7989	42.0618	53.1696	4.1352
22/03/15	88.5677	0.3368	0.1302	0.4794	7.2076	0.0000	279.5220	41.8267	53.0481	0.6892
23/03/15	88.7309	0.3040	0.1277	0.4325	7.1814	0.0000	252.4508	41.6142	52.9736	10.1084
24/03/15	88.6572	0.3001	0.1208	0.4318	7.0506	0.0000	271.6730	41.3685	52.8413	4.8245
25/03/15	88.7430	0.3084	0.1390	0.4516	7.3764	0.0000	281.6044	42.0705	53.2017	7.5813
26/03/15	88.5160	0.3169	0.1369	0.4608	7.3722	0.0000	309.1561	42.0892	53.2165	0.0000
27/03/15	88.9616	0.2791	0.1448	0.4243	7.3061	0.0000	263.3434	41.9687	53.1725	5.9731
28/03/15	88.9397	0.2758	0.1461	0.4227	7.1828	0.0000	295.3803	41.8287	53.1015	0.0000
29/03/15	89.0522	0.2456	0.1488	0.3959	6.8060	0.0000	252.9314	41.3322	52.8499	3.2163
30/03/15	88.7113	0.2781	0.1369	0.4159	7.1830	0.0000	249.5675	41.6877	53.0275	4.5947
31/03/15	88.8485	0.2937	0.1371	0.4339	7.1521	0.0000	252.4508	41.7191	53.0326	3.4460

Mínimo	87.0222	0.1964	0.1140	0.3104	6.7978	0.0000	155.0586	41.2868	52.7681	0.0000
---------------	---------	--------	--------	--------	--------	--------	----------	---------	---------	--------

INFORME MENSUAL SOBRE LAS ESPECIFICACIONES DEL GAS NATURAL (Registros mínimos diarios)										
---	--	--	--	--	--	--	--	--	--	--

PERMISIONARIO:	Compañía Nacional de Gas SA de CV - Permiso G/11/DIS/1997
PUNTO DE MEDICIÓN:	Cruce Internacional II - Estacion Importacion Rio Bravo
ZONA DE MEDICIÓN:	<u>RESTO DEL PAÍS</u>

FECHA: (dd/mm/aa)	Metano (% vol)	Bióxido de Carbono (% vol)	Nitrógeno (% vol)	Total Inertes (% vol)	Etano (% vol)	Temperatura de Rocio (K)	Humedad (mg/m³)	Poder Calorífico (MJ/m³)	Índice Wobbe (MJ/m³)	Acido Sulfhídrico (mg/m³)
01/03/15	87.6980	0.5100	0.3110	0.8210	8.4110			41.7629		
02/03/15										
03/03/15										
04/03/15										
05/03/15										
06/03/15										
07/03/15										
08/03/15										
09/03/15										
10/03/15										
11/03/15										
12/03/15										
13/03/15										
14/03/15										
15/03/15										
16/03/15										
17/03/15										
18/03/15										
19/03/15										
20/03/15										
21/03/15										
22/03/15										
23/03/15										
24/03/15										
25/03/15										
26/03/15										
27/03/15										
28/03/15										
29/03/15										
30/03/15										
31/03/15										

Mínimo	87.6980	0.5100	0.3110	0.8210	8.4110	0.0000	0.0000	41.7629	0.0000	0.0000
---------------	---------	--------	--------	--------	--------	--------	--------	---------	--------	--------

Analisis calidad gas natural cruce internacional # 1 Importacon Rio Bravo BTU 1115.4 = 41.5580 MJ/m3

GAS TESTING AND MEASUREMENT
PETROLEUM LABORATORY
PHYSICAL TEST
GAS SURVEYS

GAS PRODUCTION SURVEYS
BACK PRESSURE TESTS
ELECTRONIC VOLUMES
CHART INTEGRATION

THURMOND-McGLOTHLIN, INC.

NATURAL GAS MEASUREMENT

2688 Business I-35 East
Pearsall, Texas 78061
830-334-8900

COMPONENTS	MOL %	GPM	DATE RUN:	February 25, 2015
Carbon Dioxide	0.512		PLANT:	
Nitrogen	0.188		COMPANY:	WTG
Methane	88.418	14.904	PURCHASER:	
Ethane	8.162	2.169	LEASE:	MEXICO STATION
Propane	1.665	0.456	STATION:	781-006
iso-Butane	0.271	0.088	PRESSURE:	180 #
n-Butane	0.395	0.124	TEMPERATURE:	63 F
iso-Pentane	0.112	0.041	CYLINDER:	TM 11360
n-Pentane	0.082	0.030	ANALYSIS BY:	TM11 IM
Hexane +	0.195	0.085	SECURED BY:	A.RAMIREZ
			DATE SAMPLED:	02/18/15

100.000

GASOLINE CONTENT @ 14.65 PSIA & 60 F REMARKS: COMPOSITE

	GPM
PROPANE & HEAVIER	0.824
BUTANE & HEAVIER	0.368
PENTANE & HEAVIER	0.156

Gross Heating Value
BTU @ 14.65 PSIA & 60 F
Dry 1115.4
Wet 1095.8

RESULTS TO:
West Texas Gas

SPECIFIC GRAVITY
0.6339

*Based on GPA 2145 & 2172

*Natural gas is one of our Most Valuable and Profitable Properties. Careful
Conservation and Expert Handling will pay Abundant Dividends.*

Analisis calidad gas natural cruce internacional # 2 Estacion Phenix BTU 1120.9 = 41.092 MJ/m3

GAS TESTING AND MEASUREMENT
PETROLEUM LABORATORY
PHYSICAL TEST
GAS SURVEYS

GAS PRODUCTION SURVEYS
BACK PRESSURE TESTS
ELECTRONIC VOLUMES
CHART INTEGRATION

THURMOND-McGLOTHLIN, INC.

NATURAL GAS MEASUREMENT

2688 Business I-35 East
Pearsall, Texas 78061
830-334-8900

COMPONENTS	MOL %	GPM	DATE RUN:	February 25, 2015
Carbon Dioxide	0.510		PLANT:	
Nitrogen	0.311		COMPANY:	WTG
Methane	87.698	14.783	PURCHASER:	
Ethane	8.411	2.236	LEASE:	CUSTOM STATION
Propane	1.896	0.519	STATION:	781-009
iso-Butane	0.366	0.119	PRESSURE:	420#
n-Butane	0.468	0.147	TEMPERATURE:	58 F
iso-Pentane	0.130	0.047	CYLINDER:	TM 11429
n-Pentane	0.087	0.031	ANALYSIS BY:	TM11 IM
Hexane +	0.123	0.053	SECURED BY:	A.RAMIREZ
			DATE SAMPLED:	02/18/15

100.000

GASOLINE CONTENT @ 14.65 PSIA & 60 F REMARKS: COMPOSITE

	GPM
PROPANE & HEAVIER	0.916
BUTANE & HEAVIER	0.397
PENTANE & HEAVIER	0.131

Gross Heating Value
BTU @ 14.65 PSIA & 60 F
Dry 1120.9
Wet 1101.3

RESULTS TO:
West Texas Gas

SPECIFIC GRAVITY
0.6388

*Based on GPA 2145 & 2172

*Natural gas is one of our Most Valuable and Profitable Properties. Careful
Conservation and Expert Handling will pay Abundant Dividends.*