

Anexo 1 - Registros de gas fuera de especificación H2S Promedio horario

abril-2014	H2S Promedio hora (ppm)	H2S Promedio hora (ppm)	H2S Promedio hora (mg/m3)
Fecha/Hora	Mayakan (No. 37.1)	Límite Max	Límite Max NOM 001
12/04/2014 00:00	1.18	4.30	5.71
12/04/2014 01:00	1.20	4.30	5.71
12/04/2014 02:00	1.32	4.30	5.71
12/04/2014 03:00	1.02	4.30	5.71
12/04/2014 04:00	1.23	4.30	5.71
12/04/2014 05:00	1.38	4.30	5.71
12/04/2014 06:00	1.30	4.30	5.71
12/04/2014 07:00	1.51	4.30	5.71
12/04/2014 08:00	1.54	4.30	5.71
12/04/2014 09:00	1.98	4.30	5.71
12/04/2014 10:00	1.75	4.30	5.71
12/04/2014 11:00	1.62	4.30	5.71
12/04/2014 12:00	1.69	4.30	5.71
12/04/2014 13:00	1.90	4.30	5.71
12/04/2014 14:00	1.66	4.30	5.71
12/04/2014 15:00	1.64	4.30	5.71
12/04/2014 16:00	3.51	4.30	5.71
12/04/2014 17:00	5.03	4.30	5.71
12/04/2014 18:00	3.79	4.30	5.71
12/04/2014 19:00	2.59	4.30	5.71
12/04/2014 20:00	2.15	4.30	5.71
12/04/2014 21:00	1.92	4.30	5.71
12/04/2014 22:00	1.77	4.30	5.71
12/04/2014 23:00	1.85	4.30	5.71