

Reporte del Poder Calorífico del Gas Natural en el Punto de Medición de Energía Costa Azul de Gasoducto Rosarito S. de R.L. de C.V.

19 DE AGOSTO

Fecha	Hora	Poder Calorífico superior mínimo MJ/m ³
8/19/2015	8:00:00	38.69193005
8/19/2015	9:00:00	38.70601267
8/19/2015	10:00:00	38.49592826
8/19/2015	11:00:00	37.15767738
8/19/2015	12:00:00	37.12303447
8/19/2015	13:00:00	37.13209597
8/19/2015	14:00:00	37.15189483
8/19/2015	15:00:00	37.13314426
8/19/2015	16:00:00	37.13565235
8/19/2015	17:00:00	37.26784794
8/19/2015	18:00:00	37.13667561
8/19/2015	19:00:00	37.13173216
8/19/2015	20:00:00	37.13141154
8/19/2015	21:00:00	37.13344667
8/19/2015	22:00:00	37.16299149
8/19/2015	23:00:00	37.17334229
8/20/2015	0:00:00	37.15160379
8/20/2015	1:00:00	37.15281806
8/20/2015	2:00:00	37.1319209
8/20/2015	3:00:00	37.13280315
8/20/2015	4:00:00	37.13438353
8/20/2015	5:00:00	37.13304192
8/20/2015	6:00:00	37.14298571
8/20/2015	7:00:00	37.15758186
PROMEDIO DIARIO		37.33341487

Mínimo NOM 001

37.3 MJ/m³

Poder Calorífico superior mínimo

Límite de acuerdo a la tabla 1 del punto 5.1 de la NOM-001-SECRE-2010

20 DE AGOSTO

Fecha	Hora	Poder Calorífico superior mínimo MJ/m ³
8/20/2015	8:00:00	37.18135552
8/20/2015	9:00:00	37.16621361
8/20/2015	10:00:00	37.15279984
8/20/2015	11:00:00	37.15446435
8/20/2015	12:00:00	37.14573256
8/20/2015	13:00:00	37.14076181
8/20/2015	14:00:00	37.18289269
8/20/2015	15:00:00	37.15055098
8/20/2015	16:00:00	37.14693774
8/20/2015	17:00:00	37.14771315
8/20/2015	18:00:00	37.16482879
8/20/2015	19:00:00	37.11241535
8/20/2015	20:00:00	37.15229734
8/20/2015	21:00:00	37.16615903
8/20/2015	22:00:00	37.16667748
8/20/2015	23:00:00	37.15377534
8/21/2015	0:00:00	37.16020141
8/21/2015	1:00:00	37.18827046
8/21/2015	2:00:00	37.17234861
8/21/2015	3:00:00	37.29886398
8/21/2015	4:00:00	37.23808256
8/21/2015	5:00:00	37.22498032
8/21/2015	6:00:00	37.17253507
8/21/2015	7:00:00	37.1468718
8/21/2015	8:00:00	37.09074052
PROMEDIO DIARIO		37.16713881